



湖北全运新材科技有限公司
Hubei Fulltune New Material Technology Co.,Ltd


**SPC FLOORING
PROFESSIONAL
MANUFACTURER**

Offers a variety of colors and textures



SPC FLOORING

FUNCTIONS DURABLE COLOR FLOORINGS





湖北全运新材料科技有限公司

Hubei Fulltune New Material Technology Co.,Ltd

Hubei Fulltune New Material Technology Co. Ltd. is located in Dangyang City Hubei Province, close to China's famous Three Gorges Dam. The location is very convenient for low-cost transportation, river connected us with Shanghai, Nanjing and other main sea ports.

We manufacture vinyl flooring and has been in this industry for over 10 years. Our factory covers an area of 65,000 square meters. The current monthly production capacity is about 200 containers. There are more than 200 employees in the company including 10 engineers, and 20 QCs. The company has been awarded with the certificate of U-mark, DIBt, CE, floorscore, Greenguard, ISO9001, and ISO14000.

Derya's vinyl flooring has successfully stepped into the international market with its excellent qualities and service. The products are exported to more than 30 different countries and regions, such as America, Canada, Russia, Europe, South-East Asia, South America, and Africa. With advanced production equipment, professional technical staff and an experienced sales team, Derya Flooring has maintained its position at the forefront of the vinyl flooring business.

Our customers are the reason we are in such a wonderful business. Our team is dedicated to providing the highest levels of innovation, quality, and service. We keep expanding the scale of production and launching competitive new products. It makes us win trust in our customers at domestic and abroad. You are welcomed to contact us.

Factory Views




Highest quality
in every layer

SPC Flooring
STONE PLASTIC COMPOSITES

- 100% Water Resistance
- Antibacterial
- Stain Resistance
- Slip Resistance

UV Coating
Wear Layer
PVC Decor Film
Rigid Vinyl Layer
Sound Abatement Pad



SIZE

- 152 x 914 mm
- 152 x 1220 mm
- 180 x 1220 mm
- 180 x 1524 mm
- 228 x 1220 mm
- 228 x 1524 mm
- 228 x 1830 mm

Quality control Equipments



All important
facts

Characteristics	EU or ASTM standard
Resistance to chemical	ISO26987/ASTM F925 Pass
Dimensions	ISO24342/ASTM F2055 Pass
Thickness overall	ISO24346/ASTM F386 Pass
Thickness wear layer	ISO24340/ASTM F410 Pass
Residual indentation	ISO24343-1/ASTM F1914 Pass
Dimensional stability and curling after exposure to heat	ISO23999/ASTM F2199 Pass
Shrinkage rate	≤0.25%
Curling	≤2mm
Wear resistance	EN 660-2 Pass Group T
Peeling strength	ISO24345 Pass
Reaction to fire	EN 13501-1: Bf1-s1
Flame spread	EN ISO 11925-2: Class B
Critical Heat Flux	EN ISO9239-1: Class B
Smoke Generation	EN ISO9239-1: Class S1
Color fastness to light	EN ISO 105-B02 6 or above Pass ASTM F1515 ΔE<8 Pass
Formaldehyde emission	EN 717-1: E1
Toxic element test	EN 71-3 Pass
Slip resistance	EN 13893: Class DS DIN51130:R9 Pass
Castor chair Resistance	ISO4918/EN 425: Pass
Electrical resistance	EN1081 Method C: Pass
Impact sound reduction	ISO717-2/ISO10140-3 ASTM E2179/ASTM E492/ASTM E989
VOC Emissions	ISO16000-9/ASTM D5116 AGBB/C+



湖北全运新材科技有限公司
Hubei Fulltune New Material Technology Co.,Ltd

因印刷色差问题，所有颜色以实样为准

Roll film size: 985*1580mm



橡木 JTW008L



Model:889-2

Wood:Oak

Spec:1000x1270mm




Actual color is subject to color film


Model:889-7

Wood:Oak

Spec:1000x1270mm



Actual color is subject to color film



Model:889-21

Wood:Oak

Spec:1000x1270mm



Actual color is subject to color film



湖北全运新材科技有限公司
Hubei Fulltune New Material Technology Co.,Ltd

因印刷色差问题，所有颜色以实样为准

Roll film size: 985*1580mm



大自然松木 JTW009L





湖北全运新材科技有限公司




Hubei Fulltune New Material Technology Co.,Ltd

因印刷色差问题，所有颜色以实样为准

Roll film size: 985*1580mm



鱼骨拼 JTW004L





湖北全运新材科技有限公司
Hubei Fulltune New Material Technology Co.,Ltd

因印刷色差问题，所有颜色以实样为准

Roll film size: 985*1270mm



山核桃 JTW015





湖北全运新材科技有限公司

Hubei Fulltune New Material Technology Co.,Ltd

因印刷色差问题，所有颜色以实样为准

Roll film size: 983*1580mm



橡木 JTW017L系列





湖北全运新材科技有限公司
Hubei Fulltune New Material Technology Co.,Ltd

由于色差因素，所有颜色以实样为准

Roll film size: 984*1580mm



玉核桃 JTW021L



湖北全运新材科技有限公司
Hubei Fulltune New Material Technology Co.,Ltd

因印刷色差问题，所有颜色以实样为准

Roll film size: 981*1270mm



裂纹橡木 JTW002-F





湖北全运新材科技有限公司
Hubei Fulltune New Material Technology Co.,Ltd

因印刷色差问题，所有颜色以实样为准

Roll film size: 984*1270mm



烟熏橡木 JTW003-F






湖北全运新材科技有限公司
Hubei Fulltune New Material Technology Co.,Ltd

因印刷色差问题，所有颜色以实样为准

Roll film size: 984*1270mm



橡木 JTW005-F





湖北全运新材科技有限公司
Hubei Fulltune New Material Technology Co.,Ltd

因印刷色差问题，所有颜色以实样为准

Roll film size: 983*1270mm



橡木 JTW006-F





湖北全运新材科技有限公司
Hubei Fulltune New Material Technology Co.,Ltd

由于色差因素，所有颜色以实样为准

Roll film size: 985*1260mm



拼块橡木 JTW051-F




湖北全运新材科技有限公司
Hubei Fulltune New Material Technology Co.,Ltd

因印刷色差问题，所有颜色以实样为准

Roll film size: 982*1265mm



裂纹橡木 JTW053-F系列





湖北全运新材科技有限公司
Hubei Fulltune New Material Technology Co.,Ltd

由于色差因素，所有颜色以实样为准

Roll film size: 982*1266mm



桦木 JTW067-F



Hubei Fulltune New Material Technology Co., Ltd.
Factory: Yuquan Office, Dangyang City, Hubei Province, China
Phone: +86 15994715161
Email: ray@joyfulflooring.com
Website: <http://www.fulltune.com.cn>



**NEW ENVIRONMENTAL
PROTECTION FLOORING**